

Achieving Pregnancy

Trying to have a baby and not succeeding is one of the greatest frustrations a couple can experience. All their friends seem to achieve it without even trying, which really adds to the frustration. When couples seek accurate information about the most fertile time of the cycle, all too often they are given wrong information. Some of this information is so far wrong that it actually makes the task harder, if not impossible! This web site will correct much of the misinformation currently in circulation and, if the couple learn to accurately chart the woman's cycle and time intercourse accordingly, this will significantly increase their chances of conceiving a baby.

Please read the tutorial "**Understanding Your Fertility**" before reading this tutorial. **Achieving Pregnancy** will build on the knowledge you have obtained from the other tutorial and orientate it towards achieving conception.

Working with your Menstrual Cycle

Most couples feel that it important for the woman to have a regular cycle. Not true! You must learn to work with the cycle you have, not try to alter it, other than by good nutrition and trying to cut down on stress, which is the most notorious contributor to irregular cycles. The "stress factor" can take many forms such as stressful jobs, travelling a lot (particularly flying), long working hours, shift work (particularly night work), financial difficulties etc. . Poor nutrition (not enough vegetables in particular), too much alcohol, not enough exercise, or conversely too much exercise, can also be contributory factors for some people. Having taken the contraceptive pill for some years can affect some women's cycles, particularly if they started it very young, before their natural cycles were properly established.

The frustrating fact is that we all know people who smoked like chimneys, drank a lot, ate junk food, in other words broke all the rules in the book and became pregnant easily. It often makes people sceptical that any of the above advice is valid. In fact, we are dealing with individuals, who all react differently to different forces, foods and medicinal drugs. Also, we don't all start out with the same level of fertility necessarily. It's not a level playing field, when it comes to health and fertility. So we have to work with the constitution we have and improve it, when needed, by standard advice which has stood the test of time.

The following pages are all about charting the menstrual cycle in order to identify the fertile window of each cycle. Again the individual variations become evident. Some women have short 3 week cycles, others average 4 weeks, others lasting 5-6 weeks, others again lasting a couple of months. Within the cycles, the fertile window can be very short with fertile mucus evident only 1-2 days a month, sometimes not evident at all. For others it can be abundant and last 5-6 days. Do not despair. Pregnancies have been achieved from intercourse on the only day fertile mucus was seen in months of looking! Keep your spirits up and do not let the charting dominate your life. Try to enjoy the other dimensions of your life and keep the charting in the background. There is more discussion about ways of self-help at the end of this tutorial.

Please **download a chart** from the tool bar to help you follow the instructions below.

Charting Your Fertility Cycle to Achieve Pregnancy

For a pregnancy to occur, three elements are needed:

1. Fresh sperm from the man
2. A live egg, produced by the woman at ovulation




3. Fertile cervical mucus to nourish and transport the sperm

For couples trying to achieve pregnancy, two indicators are valuable:

- Variations in body temperature
- Changes in cervical mucus

1. The Temperature Method


We start with the temperature indicator because so many couples in infertility clinics are given temperature charts but often do not have the correct instructions on how to keep them. When done correctly, temperature charts are very useful both to patient and doctor because the rise in temperature highlights where the ovulation occurred in the cycle. After 3 high readings, the rest of the cycle is infertile. However, for those trying to conceive, **the most fertile days are the last 3 days BEFORE the temperature rises.** So, while the temperature chart gives useful information about the cycle, it does not actually help couples to time intercourse to maximise their chances of pregnancy. This will be explained more fully later.



The reason for the rise in temperature is illustrated in this diagram which shows the two major hormones in a woman's cycle.

Oestrogen, in the first half of the cycle, which comes from the ripening follicle, has no effect on body temperature. So it remains normal until the egg is ready for release.

At ovulation, the ripe follicle bursts and sheds the egg into the fallopian tube. The empty follicle recycles itself to become the **corpus luteum** (pregnancy gland) and produces the hormone **progesterone**. It is this hormone that raises body temperature. So the temperature rises **after** ovulation and remains raised for 10 – 16 days. It drops as the period starts.



Once released, the egg it is fertilizable for 4 – 8 hours only. The temperature rise may occur up to 48 hours after ovulation.

The most fertile days on the temp. chart are the last 3 days BEFORE the temperature rise, when fertile mucus will be present.
(Explained later in section on mucus)

**It is vital that charting rules are understood and used correctly.
Please download a chart so you can follow the instructions more easily**

How to take your temperature correctly

1. Take your temperature **on waking in the morning**, in bed, at the same time (as far as possible) before any activity, cups of tea etc. If it is taken **later**, the temperature will **rise and make you think you have ovulated when you haven't!** When you oversleep at weekends, it could completely confuse your chart, unless you recognise it as a disturbed reading and mark it as such on your chart. Conversely, if taken **earlier**, the temperature will **fall**. (*See later notes*)
2. Digital thermometers are easy to read, usually requiring only a minute, but some can be erratic if not used properly. Trap the tip/ bulb of the thermometer **under the tongue**, well back in the soft flesh at the base of the tongue, in the same place each time, without talking or falling asleep. Hold it in place to stop it moving and losing contact.
3. Mercury thermometers must be shaken down before use, they are slower (*requiring 5 mins. orally*), but charts are usually very stable. Use under the tongue as for digitals.
4. The readings can be recorded on the chart **in the evening**, when you record your mucus symptom. Mercury holds the morning reading till shaken down. Most digital thermometers have a memory device which enables you to read the morning's reading later in the day.

How to Keep a Chart

	<i>March</i>										<i>April</i>																								
Date	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	
37.20																																			
.15																																			
37.10																																			


1. Mark the date across the top of the Temperature Chart to serve for both Temperature and Mucus Chart, as shown in the example above.
2. **The first day of the period is Day 1 on the chart.** Spotting before the period is not counted, it is still part of the previous cycle
3. Each day has its own column. Every 7th line is **bold** to help keep the columns in line on both charts.
4. Circle the weekends to highlight potential disturbances which often occur at weekends, such as late nights, oversleeping, travelling and alcohol consumption, which may affect readings.
5. Record the reading for each day with a **large dot in the centre of the square** opposite the appropriate temperature on the scale. Join the dots up to make a graph. (*See later examples*)
6. The rise in temperature after ovulation is actually quite small (*only between 0.2C and 0.6C on average*). Therefore the chart uses **half centigrade readings** to show the rise more clearly by making it look larger. If, on the small chart above, you had a reading between 37.10 and 37.20, then put the dot in the square marked 37.15. The subdivisions are marked with dotted lines.

Disturbed temperature readings

The waking temperature is affected by many things. False rises and dips can be caused by


- taking it at different times; being ill, having a fever, a migraine etc.
- events the night before – drinking alcohol, heavy late night meal, disturbed night's sleep.

The majority of temperature charts follow the previous rule. However, in about 20% of charts, the temperature rise is more erratic and you may not recognise the correct rise.




In this chart, the 3rd high temperature is just hovering above the line, but looks as if it is coming down again! Are days 13 and 14 unrecognised disturbances? These are questions that go through your mind. If they are genuine readings, then trust them. If the 4th reading is higher than the preceding 6 low readings, this is good proof of a temperature shift, even if it is “hovering”.

Some people have very high temperature shifts. Others just scale the line. It is no cause for anxiety. Studies have shown that the height of the temperature chart does not reflect the height of progesterone levels. Some people have good hormone levels but low temperature shifts. Just look for a shift and check that a “cover line can be drawn between the last 6 lower readings and the first 3 (or 4) raised readings.



The completed chart below shows how well the rules work. Don't be surprised by a zig-zag chart. The temperature stabilised later and finished as a 25 day cycle. Day 26 is the start of the period and Day 1 of a new chart.

For those avoiding pregnancy, infertility lasts from the night of 4th high temperature in this chart (Day 16) until the period starts. For those achieving, the most fertile days are Days 10, 11 & 12.



Although the temperature rose higher on Day 17, the real ovulation shift is Day 13

It is a common mistake to keep looking for “really high” rises which keep going up!

Please note that **temperature levels vary in different people**. The charts given are just examples. Your temperature may be lower than the examples, or higher. Occasionally some people's readings drop below the chart! If this happens regularly, you may need to re-write the readings on the side of the chart to fit your own personal range. **However, the rules for interpretation remain the same.**


A Cycle without a Temperature Rise

If a cycle occurs at any time *without* a temperature shift in it, there are two possible explanations for this “cycle”.

1. It may be a genuine anovulatory cycle (i.e. a cycle without ovulation), and the next cycle after it may be the same or a completely normal cycle.
2. However, it could also be a “stress cycle” with delayed ovulation, which can have a different result and this type of cycle needs to be watched carefully.

Below is a typical example of the “stress type” cycle.

The cycle started normally with a period and low phase temperature readings. This person normally had a fairly typical cycle between 27 – 30 days in length. Normally she would expect to ovulate between days 13 – 17, but they came and went with no temperature rise at all. She continued charting and to her surprise she suddenly started what she thought was another period on Day 22.



Fortunately, she contacted an NFP teacher, who was able to advise her appropriately:

- She was told **NOT** to start a new chart as the bleeding on Days 22 – 25 was *not a true period*.
- As suspected, the bleeding led immediately into ovulation and the temperature rose after it.
- Her **TRUE** period came 13 days later, on Day 40. So in fact, it ended as a 39 day cycle, with “ovulation bleed” occurring on days 22 – 25.

With this advice, she was able to understand what had happened.)

Such cycles can be caused by ‘flu and other illness, and also by stress situations, such as baby very ill, Mum or Dad in hospital, final exams, job interviews, moving house etc.. Sometimes cycles can stop completely for weeks / months even, in cases of acute stress! Many such cycles can also occur in the pre-menopause years before they finally stop.


For those who are not monitoring their cycle, there could have been real confusion. They would have assumed that the bleeding on Days 22 – 25 was an early period. As many people do, they would also have assumed they were infertile after it for a couple of days and may not have had intercourse at that time. In fact, the bleeding led into the **most fertile time (Days 26, 27) of the whole 39 day cycle**. So you can see that when people are well informed on NFP charting and actually document their cycles that explanations often become available to “strange” cycles.

(This chart is explained more fully later when the mucus descriptions are included.)

2. The Mucus Symptom


Unlike the temperature rise, the mucus symptom appears for several days *before* ovulation as a result of the oestrogen surge. The mucus is needed to feed, transport and keep sperm alive until the egg is released. This sequence of photos of mucus, taken up to the time of PEAK FERTILITY, gives an example of how the mucus changes and develops up to the time of ovulation, and what qualities you need to look for:

1: Start of mucus symptom




1. Some women have no mucus discharge at all after a period and so, when this scant sticky mucus appears, it is the start of their the fertile phase. However, the mucus is not at its best quality yet. It is still a bit acidic and has few swimming lanes in it.
 - For others, this type of scant mucus may be their “constant discharge” and for them it is not fertile at all. This is an individual learning situation.

2: Increasing in amount



2. This level of mucus would be potentially fertile for all women, because it is more profuse and showing stretchy qualities.
 - It would cause a change in sensation for the woman. She would no longer feel DRY but instead would have a damp, even wet, sensation at the vaginal opening (vulva).
 - Although still quite dense in appearance, more swimming lanes will be opening up in it and it is becoming more alkaline.

3: Increasing and becoming clearer



3. Now the mucus has more water content, is stretching more, and despite the whitish dense areas, it is definitely showing clearer areas, indicating increasing alkalinity and the opening of even more swimming lanes. The sensation at the vulva would now be much wetter.

4. Clear like raw egg-white



4. This last photo shows how clear, wet, stretchy and slippery the fertile mucus can become around ovulation and why it is usually compared with raw egg-white. It may not seem quite so clear every cycle, or you may just miss seeing it at this level.
 - Sometimes it may even look a bit brown or reddish, due to tiny loss of blood at this point.
 - When the mucus has this appearance, ovulation is very close. This is the most fertile time of the whole cycle. The last day of this mucus is called PEAK day

The Mucus Symptom highlights the Fertile Phase

As seen from the photos, the build up and changes in the mucus symptom give *warning* of approaching ovulation. You may not see good quality mucus every cycle, particularly if you are unwell, if you smoke a lot or have a lot of stress in your life. Poor nutrition can also play its part in reducing the quality and quantity of fertile mucus.

How to observe the mucus symptom:

- Look for mucus at the vulva each time you visit the toilet.
- Observe before and after passing urine, by wiping from front to back across the vaginal opening with toilet tissue.
- The tissue will pick up any mucus, which can then be quickly observed on the paper, before it is absorbed.
- Mucus will usually be shiny and needs to be stretched between the fingers, or tissue, to recognise its changing qualities.
- The passage of mucus can be assisted down the vagina by using a bearing down action as if having a bowel motion and repeating it in quick succession for a few seconds. Many women find their best mucus sample after a bowel motion, for this reason.
- You can also assess the mucus internally with your finger, but there are always transudate fluids internally and you need to learn to distinguish between these transudates and genuine cervical mucus.

Each day, describe the mucus symptom following the code "SCAT" which represents:

Sensation - Colour - Amount - Type

Sensation:

As you went about your daily work today, what feeling did you have at the vulva (vaginal opening)? Were you **Dry** or **Moist** or **Wet**? When you wiped from front to back over the vaginal opening with tissue, at each visit to the toilet, was it pulling, or did it slip indicating the presence of a wet lubricative mucus? Each day you mark one of those sensations on your chart.

Colour:

If there was mucus on the tissue, what colour was it? **white/ yellowish** or **cloudy**? Was it **clearer** or **absolutely clear**? Note that it may only look **clear when stretched**, either on tissue or fingers.

Amount:

How much mucus was there? For scant mucus mark **1**; for an increased amount mark **2** or **3**; for a lot of mucus mark **4** or **5**. Mucus usually increases in amount the nearer ovulation approaches.

Type/ Texture:

How did the mucus feel between your fingers or tissue? Standard descriptions used by women worldwide for the mucus when it first starts after the period are:

milky, creamy, sticky, pasty, clotty, crumbly, tacky, gluey

Nearer ovulation, they describe it as **more stretchy, slippery to feel, resembling raw egg-white**. For some, the mucus is so thin and watery, they can't find any to finger test, but feel continuously very wet. **If different types of mucus appear on the same day, mark them all on the chart.**

The last day of wet, slippery, clear mucus is called PEAK DAY – peak of oestrogen, peak of fertility – the most fertile day in the whole cycle!

Charting the Mucus Symptom

The mucus chart on the lower half of each page is based on a new concept in charting. Instead of you having to think of words to describe your mucus symptom and writing them down, the chart presents all the different standard types of mucus, in the order they would appear in a typical cycle. You simply read the list each evening and choose the descriptions that most closely match your observations of the day. You then put crosses opposite them in the appropriate column for that day. **The Colour Scheme** is based on the seasons of the year as seen in trees.

Day of cycle	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
Period																																	
Spotting																																	
Sensation: Dry																																	
Colour: No mucus seen																																	
Sensation: moist/ damp																																	
Colour: White																																	
Cloudy / opaque																																	
Type: milky / creamy																																	
Clotty crumbly, pasty																																	
Tacky, gluey, elastic																																	
Sensation: Wet																																	
Colour: Cloudy/ clear																																	
Clear, transparent																																	
Type: Slippery, slimy, stretchy																																	
Like raw egg-white																																	
PEAK DAY																																	

The Winter Tree (Brown)

When a woman has a DRY feeling at the vulva, with no mucus seen or felt, this represents the "winter" of her fertility, a barren time when nothing grows. In terms of her cycle it means that:

- the egg for that cycle has not been selected yet
- the cervix is closed with a sticky plug of mucus
- sperm cannot survive in the acidity of the vagina



The Spring Tree (Yellow – on the way down at the start of the mucus symptom)

When a she is no longer DRY, or begins to feel moist/ damp, or mucus appears, (**or the double-check rules apply**), it is the "spring time" of her cycle, the waking of her fertility because:

- an egg has been selected and is beginning its final ripening in the ovary
- the cervix is opening and dispersing the sticky mucus plug
- small amounts of alkaline fertile mucus are being produced
- sperm can now enter the cervix and survive for several days.



The Summer Tree (Green)

When a woman feels wet at the vulva, with clearer slippery mucus present, she is in the "summer" of her fertility, highly fertile because:

- the egg is very ripe and ready for release
- the cervix is wide open, secreting stretchy, slippery, raw egg-white type mucus
- the mucus has abundant swimming lanes, with high levels of nutrients for sperm survival.
- The last day of this type of mucus (regardless of amount) marks Peak of Fertility.



Autumn and Winter Trees (Yellow and Brown – on the way back up after PEAK day)

After the summer, Nature is in decline. So too, by 3rd day after Peak Day (**Double check with - 3rd high temperature**), the woman's fertility has faded away and autumn and winter return.

- the egg has died quickly, if not fertilised and the fertile mucus has also dried up.
- the cervix has closed and is re-sealed with a sticky mucus plug
- the vagina has become highly acid again and hostile to sperm.



How to record your descriptions on the Mucus Chart

Day of cycle	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
Period	X	X	X	X	X																												
Spotting						X																											

The Chart starts with **Day 1 of your period as Day 1 on the chart**. Put an X for each day that your period lasts. In this example, the woman had *5 days bleeding with one more day of very light “spotting”*.

After that, start a new column each day and read the listed descriptions. Think “SCAT” and try to mark each day: **Sensation, Colour, Amount, Type**. Put X's opposite the ones that best describe your symptoms of the day.

Day of cycle	1	2	3	4	5	6	7	8	9	10	11	12	13
Period	X	X	X	X	X								
Spotting						X							
Sensation: Dry						X	X	X					
Colour: No mucus seen						X	X	X	X				
Sensation: moist/ damp									X	X	X		
Colour: White										X	X		
Cloudy / opaque													
Type: milky / creamy										X	X		
Clotty crumbly, pasty													
Tacky, gluey, elastic													

Brown and Yellow Block

If there are DRY days after the period, with no mucus seen or felt, put Xs in the **brown block** in the column for those days.

In this example, the woman felt:

- DRY on the day of slight spotting as her period was ending (Day 6 on the chart).
- She also felt DRY for the two following days, with no mucus evident at all. She is now up to Day 8 of her cycle. Her fertile mucus has not started yet.

On Day 9, she felt damp but saw no mucus. That is an important change in sensation. The next two days, Days 10 and 11, she felt damp again and white creamy mucus was seen. So she marked X's in the appropriate columns and squares - the fertile mucus is starting but not at its best yet.

Green Block

Day of cycle	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Period	X	X	X	X	X									
Spotting						X								
Sensation: Dry						X	X	X						
Colour: No mucus seen						X	X	X	X					
Sensation: moist/ damp									X	X	X			
Colour: White										X	X			
Cloudy / opaque														
Type: milky / creamy										X	X			
Clotty crumbly, pasty														
Tacky, gluey, elastic														
Sensation: Wet												X	X	X
Colour: Cloudy/ clear												X		
Clear, transparent													X	X
Type: Slippery, slimy, stretchy												X	X	X
Like raw egg-white													X	X

Finally the mucus descriptions descend to the **highly fertile mucus (green block)** as the mucus thins out towards ovulation.

At first it is more cloudy and stretchy, but eventually it ends up looking clear, wet and stretchy, just like a raw egg-white. So there is a cluster of Xs in the green block on Days 12 – 14.

Remember:

- The **last day** of any clear, wet, and/or slippery mucus is called **PEAK DAY**. It may or may not be the day of the most mucus.

Why is PEAK DAY important?

PEAK DAY is the closest marker of ovulation. In most women, ovulation occurs either on, just before or just after PEAK DAY and that is why it is considered the most fertile day of the cycle. It is also important for the method rules. So it must always be marked on the chart by circling the **last day in the green block** as shown in the chart below (Day 14 in this example). Note the temperature will still be LOW at this time, telling you nothing!

After PEAK DAY, the symptoms rise back up the chart, giving several possible patterns:

- For some, the mucus disappears completely and DRYNESS returns (*brown block*).
- Others experience a continuous white, sticky discharge (*yellow block*), feeling DRY or MOIST.
- while others alternate between the brown and the yellow blocks, as shown below

Day of cycle	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32					
Period	X	X	X	X	X																													X			
Spotting							X																														
Sensation: Dry							X	X	X							X	X			X	X	X	X	X	X	X											
Colour: No mucus seen							X	X	X	X						X	X			X	X	X	X	X	X	X											
Sensation: moist/ damp									X	X	X				X			X	X									X	X								
Colour: White										X	X				X			X	X									X	X								
Cloudy / opaque																																					
Type: milky / creamy											X	X																X	X								
Clotty crumbly, pasty																																					
Tacky, gluey, elastic															X			X	X																		
Sensation: Wet												X	X	X																							
Colour: Cloudy/ clear												X																									
Clear, transparent												X	X																								
Type: Slippery, slimy, stretchy												X	X	X																							
Like raw egg-white												X	X																								
PEAK DAY	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32					

Amount of Mucus (Marked red on this chart to avoid confusion with Peak,1,2,3 in line above)

Mucus secretion normally increases up to ovulation and then decreases after it. It is a useful sign to chart and so, below the Peak Day line, there is a row to mark **the amount** of mucus you thought you had. It's not a precise measurement, just **1** = scant, **2 & 3** = increasing, **4 or 5** mean lots of mucus. You may not be able to assess it for your first chart, but by the 2nd and 3rd chart you should have a rough idea of what is scant and what is more abundant for your mucus pattern. In some cycles, you may not write more than **2** or **3**, showing the mucus was less that cycle. It does happen!

Sensation: Wet												X	X	X																							
Colour: Cloudy/ clear												X																									
Clear, transparent												X	X																								
Type: Slippery, slimy, stretchy												X	X	X																							
Like raw egg-white												X	X																								
PEAK DAY	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32					
AMOUNT OF MUCUS (1 – 5)												1	2	4	5	4	1																				

The best days for intercourse to achieve pregnancy are the days when the mucus descriptions are in the GREEN block – in this chart Days 12, 13, 14. In long cycles it will be much later. Please note, you do not have to have intercourse EVERY night of the green block mucus. It actually only requires ONE act of intercourse in the presence of good fertile mucus, and nature does the rest. The sperm are transported up into the cervical crypts (See Tutorial UNDERSTANDING YOUR FERTILITY). There they are stored, primed, matured, selected and sent up the fallopian tubes to seek out the egg. Knowing your cycle takes a lot of pressure off a couple and enables them to time intercourse with more flexibility of days based on accurate knowledge and not guess work.

Other Body Signs marked at the bottom of the chart

The hormones of the fertility cycle produce other effects in the body which can all be marked on the chart and help to build up a picture of your cycle. For example:

- Many women feel **pains** in their side or lower tummy, lower back, or a **bloated tummy**, around the time of ovulation, which can be uncomfortable for some women.
- Some experience constipation and **rectal pressure** around ovulation.
- Another very common sign is the way the **breast changes** after ovulation. For some, the breasts are just fuller, for others they are actually painful, sometimes intermittent, for others continuous till the period starts.
- After ovulation, some women also suffer from emotional changes classed as PMS or PMT (Pre-menstrual Syndrome / Tension). No space has been given on the chart for this symptom, but it can be added if you experience it.

Day of cycle	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32								
Period	X	X	X	X	X																													X						
Spotting						X																																		
Sensation: Dry						X	X	X								X	X			X	X	X	X	X	X	X														
Colour: No mucus seen						X	X	X	X							X	X			X	X	X	X	X	X	X														
Sensation: moist/ damp									X	X	X				X			X	X										X	X										
Colour: White										X	X				X			X	X									X	X											
Cloudy / opaque																																								
Type: milky / creamy											X	X																X	X											
Clotty crumbly, pasty																																								
Tacky, gluey, elastic															X			X	X																					
Sensation: Wet												X	X	X																										
Colour: Cloudy/ clear												X																												
Clear, transparent													X	X																										
Type: Slippery, slimy, stretchy												X	X	X																										
Like raw egg-white													X	X	1	2	3																							
PEAK DAY	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32								
AMOUNT OF MUCUS (1 - 5)											1	2	4	5	4	1																								
Pain, bloated tummy												X	X																											
Rectal pressure																																								
Breast changes																	X	X							X	X	X	X	X											

Advantages of the new charting system

- The lower down the mucus chart you go, the more fertile the symptom.
- The colours help to emphasise the significance of the different symptoms
- A typical cycle produces a visual 'V' formation with
- PEAK DAY is easily identified as the last X in the green block.
- After PEAK DAY, the X's rise up the chart, mimicking the temperature rise.

But do not let the chart dictate what you think you ought to see! You must mark down only what you actually see, feel and experience. Do not simply follow the order of the chart because you think that's what it ought to be. There are many variations provided, but they may not all apply to your cycle. The chart design is there to help you, it must not brain wash your thinking! Do not feel you have to stick to the same colour block necessarily for a whole day. **Choose whatever best describes your symptoms, and gradually a pattern will emerge – YOUR pattern.** By charting many indicators and general body signs you gradually become the mistress of your own fertility cycle and then, knowing where you are in it becomes as natural as knowing which day of the week it is!

A Cycle without a Temperature Rise


If a cycle occurs at any time without a temperature shift, as already explained in the temperature section, there are two possible explanations for this “cycle”.

3. It may be a genuine anovulatory cycle (i.e. a cycle without ovulation), and the next cycle after it may be the same or a completely normal cycle.
4. However, it could also be a “stress cycle” with delayed ovulation, which can have a different result and this type of cycle needs to be watched carefully.

Below is the example of a “stress type” cycle with the mucus signs marked in.

The cycle started normally with a period but no mucus pattern developed. This person normally had a fairly typical cycle between 27 – 30 days in length. Normally she would expect to ovulate around days 13 – 17, but they came and went with no fertile type mucus evident at all.

Then Days 19 – 21 showed a white creamy mucus, leading her to think ovulation was approaching, only to be followed by bleeding – much to her surprise! In some cases the bleeding is very light, but occasionally, as in this example, it was heavy enough for her to think it was a period. Notice the temperature remained at the same level up to this point (Day 22). Fortunately, she contacted an NFP teacher, who was able to advise her appropriately.




She was told NOT to start a new chart as the bleeding on Days 22 – 25 was NOT a true period. She must simply wait and see what followed. As suspected, the bleeding led immediately into classic fertile raw egg-white type mucus, ovulation occurred and the temperature rose. Her TRUE period came 13 days later. So in fact, it ended as a 39 day cycle, with “ovulation bleed” occurring on days 22 – 25.

If pregnancy had been achieved in this cycle, you can see how it would cause confusion with “date of confinement” since the woman booking into the ante natal clinic is always asked to state the date of her last menstruation! If she gave the date of the ovulation bleed, the calculations would be completely wrong.

Remember, such cycles can be caused by ‘flu and other illness, and also by stress situations, such as baby very ill, Mum or Dad in hospital, final exams, job interviews, moving house etc.. Sometimes cycles can stop completely for weeks / months even, in cases of acute stress!
Please note this cycle & rules

Summary of Mucus Rules by Diagram

Stage 1: Before ovulation



DRY, NO MUCUS
= infertile

(double checked by
Calendar Rule)


Stage 2: Fertile phase



Damp
White
Scant
Creamy } egg is ripening
mucus is starting
= fertile



Wet
Cloudy
More mucus
Stretchy } egg growing quickly
mucus improving
= fertile



Wet
Clear
Abundant
Slippery } egg fully ripe, ready
for release, mucus
perfect for sperm
= highly fertile

Last day = PEAK DAY

Stage 3: After ovulation




Dry or Thick White Mucus
= infertile from 3rd night
after peak

(double checked by 3rd
night of raised temperature)

Myths of the menstrual cycle

Please use actual signs (mucus and temperature) to monitor your cycle, not calculations, as offered on some web sites. Calculations are based on the assumption that all women ovulate 14 days before menses, which is not true. What actually happens is that after ovulation, the empty follicle converts to form a new gland called the **corpus luteum**, which produces progesterone. Progesterone raises the body temperature and dictates the length of time till the period starts. Old medical literature says it has a fixed predictable life of two weeks. In fact the corpus luteum survives from **10 to 16 days**, with different women having their own individual pattern. This means that even in a group of women with regular 28 day cycles, there is a considerable individual variation in the time of ovulation, as shown in the diagram below.



In this diagram we see 4 women's cycles, all 28 days long, but all ovulating on different days of their cycle.

First cycle:

Counting the start of the period as Day 1 of a cycle, this woman ovulated as early as Day 12 and her period followed 16 days later. That means her corpus luteum (*ruptured, empty follicle in the ovary*) produced progesterone for 16 days before fading away, causing her period to start.

Second Cycle:

This woman has the text book cycle of "mid-cycle ovulation" on Day 14, with her period following 14 days later because her corpus luteum lasted exactly 14 days. *This is the cycle on which all investigations are based, even if your cycle doesn't have exactly this pattern!*

Third Cycle:

This woman ovulated on Day 16 with only a 12 day gap before her corpus luteum faded and the next period started – perfectly normal for her and no obstacle to pregnancy.

Fourth Cycle:

The last woman ovulated as late as Day 18 with only a 10 day gap to her period. The gap from ovulation to next period is called the **luteal phase** (*i.e. life of the corpus luteum*). Having this shorter luteal phase, on its own, is no cause for anxiety because the women still conceive.

However, one can see that with so much cycle variation possible, **it is hard to do tests at the correct time based on Calendar Calculations.** For example, a post-coital test done on day 13 will not have the best results in some cycles.

In cycle 1, it's too late. The ovulation is over by Day 13 and the woman will be in her post ovulation phase with acid mucus present in stead of the raw egg-white mucus which the doctor / nurse is looking for.

In cycle 4, Day 13 is too soon as the best mucus will not have started yet. The best quality mucus would be present on Days 15, 16, 17, just before ovulation on Day 18.

Similarly, ovulation/LH test kits currently on the market also fail in these patients because they tell a woman with a 28 day cycle to begin testing on Day 11 and in the first case, she will miss it. In the 4th case the limited number of test sticks will be used up before the LH surge occurs probably around Day 17. **Please read the article "Fertility Education and Natural Family Planning" in the Articles section of the web site** this is explained with its consequences for couples.

Chart your cycle but do not try to “pinpoint” the exact time of ovulation.

Since there are different patterns of cycles for different women, do not become obsessed with trying to find the exact “*day of ovulation*”. Without ultrasound scanning, it is impossible to define this day precisely. However, all studies have shown that **the fertile mucus and PEAK DAY** (the last day of the mucus having wet, slippery qualities) are accurate markers of **the most fertile time of the cycle**. All you need is to have one act of intercourse in the presence of raw egg-white type mucus close to or on PEAK Day, and you have done all that is needed to achieve pregnancy. Remember that the mucus can keep the sperm alive for several days until the egg is released, so intercourse does not have to occur on the actual day of ovulation itself.

Remember the rules about mucus:

As your egg ripens (for about 5-6 days), the cervix opens and produces mucus to feed and transport sperm. *At the end of the fertile mucus patch*, there is a surge of a hormone called **LH** and ovulation follows within hours. That is why doctors test for LH and there are home test kits available at chemists, if you want to try one. However, they are expensive so it is not worth using more than one month's test, just to re-assure yourself that your mucus observation is accurate. The abundant, clear, stretchy, raw egg-white type mucus is rich in sugars and mineral salts designed to support sperm life. Even after its flow seems to have stopped however, it is still potentially present in the cervix for the next 48 hours. Many women get a pain in their side or tummy around the time of ovulation. The pains can come just before, at or just after ovulation. The egg is fertilizable for up to 8 hours after release. It may be released on the last day of raw egg-white type mucus, just before or just after. (*The temperature classically rises a day after ovulation, but can be delayed. So it is little use in helping you actually plan intercourse for your most fertile time.*)

One final point is to learn how to distinguish cervical mucus from seminal fluid associated with intercourse. After intercourse, seminal fluid can make a woman feel wet and it can look like fertile mucus, deceiving her into thinking she has more mucus than may actually be the case. It is easier therefore, if couples continue with intercourse, as desired, until about 5 days before she normally expects to ovulate. Then, if a couple can avoid intercourse for the few days running up to ovulation, a woman can more accurately identify her own secretions without the interference of seminal fluid. When she finally sees mucus which is wet and slippery, accompanied by a wet feeling, (and they haven't had intercourse so it can't be seminal fluid!), then she knows she is definitely in her fertile phase and can time intercourse appropriately. But do not put too many restrictions on yourselves. This is just a tip to try till you know your cycle better.

Failure to conceive causes a lot of stress, and so too can intensive charting. Therefore, to reduce the stress of daily charting, please keep a full temperature chart for only a few months, just to confirm that you are ovulating and reading the mucus signs accurately before the rise. Once you know the pattern of your mucus and the temperature levels of your pre- and post-ovulation phase, **it is better to reduce the temperature charting to the minimum**, that is, starting the thermometer as the mucus starts and then stopping as soon as three post-ovulation high readings have occurred, confirming ovulation. Once your temperature has risen, ovulation is over. **So, put the chart book away and stop thinking about it and get on with the rest of your life. Do not keep counting the days to your period!**

If your period comes, turn over the page and mark up a new chart but only begin charting when symptoms appear. You may prefer to stop the temperature chart completely and just record the mucus, which is less demanding since it can be done at any time. However, if you are attending a hospital fertility clinic, there are some advantages to keeping moderate temperature charts to show the doctor, to back up your mucus observations.

A Final Note

As already said, for all couples planning to start a family, it is vital to eat well, avoid junk foods and increase your intake of vegetables in your diet. Some people (men in particular!) eat a lot of quick meals at work with chips and therefore frozen peas or Heinz baked beans are often their only vegetables. Carrots, broccoli, sprouts etc. have vital nutrients, much needed for healthy sperm production and healthy pregnancy. If you're not too keen on vegetables, try using the dips available through supermarkets and cut vegetables into sticks to dip. Raw vegetables are a rich source of vital nutrients, often lost in cooking. It's amazing how many vegetable sticks you can eat while "dipping" in a variety of flavoured dips. They're nice as a starter and a very fresh and relaxing way to begin a meal. Even people who aren't fond of vegetables seem to be able to eat some in this way. You can of course also make them into soups and liquidize them. Adding a potato to the mix helps with taste and texture

You might also benefit from taking a teaspoon or two of honey daily, in whatever way you prefer, as it seems to have an effect like oestrogen on a woman's cycle. Many women's cycles have become regular, better mucus symptom noticed, and pregnancies achieved after eating honey. It can never be proved it was the honey, but it has been interesting to note the pregnancies that occurred. It doesn't work for all, as there are so many different reasons for failure to conceive, but it is worth trying. There are some nice varieties of organic honey in supermarkets and the runny one is easier to hide in things like yoghurt, for those who don't like honey.

Another factor to consider is your weight, as being either too thin or too heavy are both counter-productive to fertility. Those, who eat a lot but remain underweight, need to point this out to their doctor for further investigation, while those overweight should look seriously at a weight-reducing diet. Slimmer's World used to have a good one, where you could eat a fun size chocolate bar each day and still lose weight. Many women find this a better diet as it satisfies a sugar craving that builds up on other diets.

There are also other organizations that give valuable information to couples trying to have a baby which you may find useful. You may have come to this web site from **Foresight** and may already be on a Foresight pre-conception programme and taking their minerals and vitamins. If not, you may like to contact Foresight with a large SAE and about £1 worth of stamps on it, for their literature at **Foresight, 178 Hawthorn Road, Bognor Regis, West Sussex PO21 2UY**. They have a lot of literature on the detrimental effects of low vitamins and minerals, alcohol and smoking, both on fertility and babies. It is well worth reading and taking to heart. Their web site is www.foresight-preconception.org.uk

If you don't wish to follow such programmes, most ante-natal departments promote pre-conceptual care and advise a woman to take minerals & vitamins **of the kind specially formulated for before, during and after pregnancy.** They will all contain among others, folic acid (to avoid spina bifida) and zinc, which is crucial for healthy pregnancy. A variety of such preparations is available in Boots and other chemists. The whole area of vitamin supplementation causes a lot of controversy, and some doctors are very much against it. However, there is enough evidence from Foresight and other organizations to show that they are certainly needed by many people, and the babies conceived enjoy exceptionally good health. **Do not take any of the "super vitamins". Please keep to those specifically designed for pregnancy care.**

We all know that the stress of sub-fertility is counter-productive to efforts to conceive. So it becomes a vicious circle. There are so many instances of couples conceiving when they were distracted from their own fertility problems by an exciting holiday, by anxieties about other family members (e.g. Mum or Dad ill) or even by giving up trying for a baby! Control of stress therefore is crucial, and exercise is one effective way of relaxing.

Non-competitive sports (eg. swimming, badminton, keep-fit classes, **gentle** jogging) release substances into the blood, which actually help it to relax whereas competitive sports (e.g. excessive running, squash), become addictive and create further stress not beneficial to fertility. In fact, if you over exercise, it is bad for fertility, as many athletes have found! So, look at your life style and see what you can do about constructive leisure activities which create a sense of enjoyment, relaxation and well being.

You might also like to look into the alternative therapies which help with relaxation but also offer more. I hear from a lot of people who conceived after acupuncture, aromatherapy, or reflexology etc. Even people with quite severe conditions have claimed to enjoy either a “cure” or a “remission” of their condition long enough to be able to conceive. Some of the therapies have also been successful in dealing with PMT and painful periods. As with all treatments, you can never be sure what actually caused the success, whether it was the treatment itself, the relaxation caused by it, or the change in outlook and sense of wellbeing resulting from taking a positive step. What works for one, may have no obvious effect on another. One can only try and see what works.

If you want any further help or would like to discuss your charts, please contact me at the Fertility Education Trust through the web site email link, giving your address and phone number (landline if possible). All information sent is treated with strict confidence. Your details will not be given to anyone else and you will receive no junk mail from us, only what you request. We are an independent charity.

If you would like to pass on comments to us about what you found most helpful, it would enable us to improve the service and help others. Books of coloured charts are available to order through the web site email link. They have advantages keeping the charts together and are very convenient to present at an infertility clinic. I wish you every success in your efforts to have a baby and would be pleased to hear the results.

Yours sincerely,
Colleen Norman,
Director of FET